POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Clean Sweep Trio

ACTIVE CONSTITUENTS: 119 g/L THIOPHANATE-METHYL 37.5 g/L FLUAZINAM 36 g/L TEBUCONAZOLE



For the control of various diseases in turf as specified in the Directions for Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING



Indigo Specialty Products Pty Ltd ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887 Distributed by



Contents 5 L

Clean Sweep Trio

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. D0 N0T store for prolonged periods in direct sunlight. The container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate or any undiluted chemical according to state legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if inhaled. May irritate the skin. Will irritate the eyes. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing the spray wear cotton overalls buttoned to neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and faceshield. If applying by low (manual) pressure hand wand wear cotton overalls buttoned to neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. Wash hands after use. After each day's use, wash gloves, face shield and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

WARNING ProForce Clean Sweep Trio Fungicide contains fluazinam, which may cause asthma and/or respiratory sensitisation. Sensitive individuals should avoid contact with this substance.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for ProForce CLEAN SWEEP TRIO Fungicide is available from Indigo Specialty Products Pty Ltd on request.

Suspected of causing genetic defects.

- Obtain special instructions before use.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF exposed or concerned: Get medical advice.
- If skin irritation or rash occurs: Get medical advice/attention.

CONDITIONS OF SALE:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warrantly (other than non-excludable statutory warranties) of merchanability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



ALL HOURS - AUSTRALIA WIDE



Batch No.

Date of Manufacture

APVMA Approval No.: 90578/135372

FLAT SIZE: 332 MM WIDE X 448 MM DEEP

FOLDS TO: 83 MM WIDE X 112 MM DEEP

DATE: 17/07/2022

Člean Sweep Trio

FUNGICIDE

DIRECTIONS FOR USE

Restraints

For PROFESSIONAL use only.

- DO NOT apply by aircraft.
- DO NOT apply by spraying equipment carried on the back of the user.
- DO NOT apply by high-pressure (mechanically pressurised) handheld spraying equipment.
- DO NOT apply through any type of irrigation system or ultra low volume spray system.
- DO NOT use for residential areas (including parks and domestic lawns).
- D0 N0T apply if heavy rains or storms are forecast within 3 days.
- DO NOT irrigate to the point of field runoff for at least 3 days after application.

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift. DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table/s below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application. DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by boom sprayer unless the following requirements are met:

- Spray droplets not smaller than COARSE spray droplet size category.
- Minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following tables titled 'Buffer zones for boom sprayers') are observed.

Buffer zones for boom sprayers

Application	Boom height above Mandatory downwind buffer zones (metres)					
rate	the target canopy	Bystander	Natural aquatic	Pollinator areas	Vegetation	Livestock areas
		areas	areas		areas	
Up to 20 L/ha	0.5 m or lower	0	100	0	10	0
Up to 15 L/ha	0.5 m or lower	0	100	0	5	0
	1.0 m or lower	5	400	0	30	0

	1	1				
Situation & Crop	Disease	Rate/ha	Critical Comments			
Turf including but not limited to golf	Dollar Spot (<i>Sclerotinia</i> <i>homeocarpa</i>)	12 – 20 L/ha in 400-800 L	Preventative applications: Spray when conditions are favourable for disease			
greens, tees and		of water per	development. Make a second application 14-21			
fairways, bowling	Helminthosporium Disease	hectare.	days later if conditions continue to favour disease			
clubs, sports fields,	(Bipolaris, Drechslera &		development.			
racetracks, turf farms and other managed turf	<i>Exserohilum</i> spp.)		<i>Early curative applications:</i> Spray as soon as possible after first symptoms are detected. Use			
situations.	Anthracnose (<i>Colletotrichium</i> spp.)		rates towards the higher end of the range and shorten intervals.			
			DO NOT mow or water treated area until turf or			
	Brown Patch		lawn is thoroughly dry, ideally allow 24 hours.			
	(Rhizoctonia solani)					
			Brown Patch: If hyphae are detected in the root			
			zone use 1000 L/ha water			
	Fairy Ring (Basidiomycete)	20 L/ha in a	Apply preventatively when conditions are			
		minimum of	favourable for disease development or as an early			
		1000 L of water per hectare	curative as soon as possible after first symptoms are detected.			
			Make a second application 21 - 28 days later.			
			The use of a quality non-ionic soil surfactant			
			is recommended prior to or at the time of			
			application. Irrigate following application to			
			position the fungicide into the rootzone, where the disease is active.			
	Estatrophic Dest infecting Europi	20 L/ha in a				
	Ectotrophic Root infecting Fungi (ERI) including Couchgrass	20 L/na in a minimum of	Preventative applications: Spray in early Spring and late Autumn, after renovation and recovery			
	Decline and Take All Patch	1000 L of water	of active growth. Make a second application 1			
		per hectare	month later. Ongoing monthly treatments may be			
			required.			
			<i>Early curative applications:</i> Spray as soon as			
			possible after first symptoms are detected. Make			
			a second application 1 month later.			

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

or storage.

WITHHOLDING PERIODS

DO NOT GRAZE OR CUT FOR STOCK FOOD.

DO NOT GRAZE TREATED TURF/LAWN OR FEED TURF/LAWN CLIPPINGS FROM ANY TREATED AREA TO POULTRY OR LIVESTOCK

pest management (IPM) programs utilising beneficial arthropods.

arthropods in non-crop areas.

Minimise spray drift to reduce harmful effects on beneficial Toxic to beneficial arthropods. Not compatible with integrated

тиэмэдаиам тгэч дэтаядэтиі

Harmful to bee brood. DO NOT apply to flowering weeds or

Very toxic to aquatic life. DO NOT contaminate wetlands or

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

DO NOT allow entry into treated areas until the spray has dried.

equivalent clothing) and chemical resistant gloves. Clothing must

soon as possible after application. For best results use coarse

application volume of approximately 1000 L/ha. Preferably spray

[Turbo Teejet* or AIXR Teejet* (11004 or 11005)] and total

wearing cotton overalls buttoned to the neck and wrist (or

RE-ENTRY STATEMENTS FOR OCCUPATIONAL USERS

DO NOT enter treated areas until the spray has dried, unless

PROTECTION OF HONEY BEES AND OTHER INSECT

watercourses with this product or used containers.

plants within the treatment area.

be laundered after each day's use.

SAOTANIJJO9

ENVIRONMENT

CONDITIONS OF SALE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits

not endorsed by Indigo Specialty Products Pty Ltd or under

no liability for any loss or damage arising from incorrect

storage, handling or use.

abnormal conditions. Indigo Specialty Products Pty Ltd accepts

indigo

Indigo Speciality Products ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887

APVMA Approval No.: 90578/135372

elbow-length chemical resistant gloves and faceshield. Il overalls buttoned to neck and wrist (or equivalent clothing), opening the container and preparing the spray wear cotton with eyes and skin. Do not inhale vapour or spray mist. When Repeated exposure may cause allergic disorders. Avoid contact Harmful if inhaled. May irritate the skin. Will irritate the eyes.

sensitisation. Sensitive individuals should avoid contact with this

in eyes, hold eyes open, flood with water for at least 15 minutes

Centre. Phone Australia 131126, New Zealand 0800 764 766. If

After each day's use, wash gloves, face shield and contaminated

elbow-length chemical resistant gloves. Wash hands after use.

overalls buttoned to neck and wrist (or equivalent clothing) and

applying by low (manual) pressure hand wand wear cotton

If poisoning occurs, contact a doctor or Poisons Information

fluazinam, which may cause asthma and/or respiratory

WARNING ProForce Clean Sweep Trio Fungicide contains

SNOITCORE SAFETY DIRECTIONS

specified in the

as

FUNGICIDE ases in turf

29 3

GROUP 5

for

THE CONT

OF THE LABEL ATTACHED TO VG OR USING THIS PRODUCT.

Rocklea QLD 4 lucts Pty Ltd

Indigo Specialty Pro ABN 15 631 459 660 3/49 Donaldson Road

0

D

THIOPHANATE-METHYL . FLUAZINAM

CTIVE CONSTITUENTS: 119 g/L

UNGICIDE

.90nstance.

and see a doctor.

DIA TZAIA

clothing.

GENERAL INSTRUCTIONS

MIXING

Half fill the spray tank with clean water and commence agitation. Add the required quantity of product directly to the water then complete filling to the final volume. Continue agitation during spraying and after a stoppage.

APPLICATION

Leaf and Crown Diseases: Application volume for leaf and crown diseases (Dollar Spot, Helminthosporium Disease, Anthracnose, Brown Patch) should be adequate to ensure thorough and even coverage of the turf leaves and penetration into the crowns. Ideal application volumes should be between 400 - 800 L/ha. For best results use coarse [Turbo Teejet* or AIXR Teejet* (11004 or 11005)] nozzles, at 5 km/h and 3 bar pressure. In higher cut turf (>15 mm) a significant spray shielding effect can occur, impacting negatively on spray penetration and even coverage at low application volumes. Root Infecting Diseases: Application volume for soil/root diseases (Fairy Ring, Ectotropic Root Infecting Fungi (ERI), Brown Patch) should be as high as possible (minimum 1000 L/ ha) to ensure placement close to the soil surface. When lower application volumes are used, washing in should commence as

onto wet or dewy grass.

FUNGICIDE RESISTANCE WARNING

ProForce CLEAN SWEEP TRIO Fungicide is a

combination of the methyl benzimidazole carbamates, dinitroanilines and DMI (Demethylation inhibitors) fungicides. For fungicide resistance management CLEAN SWEEP TRIO is Group 1, Group 29 and Group 3 fungicide. Some naturally occurring fungi resistant to CLEAN SWEEP TRIO and other Group 1, Group 29 and/or Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these products are used repeatedly. These resistant fungi will not be controlled by CLEAN SWEEP TRIO or other Group 1, Group 29 and/or Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since occurrence of resistant fungi is difficult to detect prior to use, Indigo Specialty Products Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

GROUP 1 29 3 FUNGICIDE

SIJAUA JAAANAD AHT AOA TNAMATATS YATNA-AR

cording to state legislative requirements. Wash container for disposal. Dispose of rinsate or any undiluted residues and has the drumMUSTER logo visible. Triple-rinse The container can be recycled if it is clean, dry, free of visible area. D0 N0T store for prolonged periods in direct sunlight. Store in the closed, original container in a cool, well ventilated **JA2092ID DNA 3DA90T2**

equipment. Close all valves and return to point of supply for refill

For refillable containers: Empty contents fully into application

in compliance with relevant local, state or territory government

purpose, clear of waterways, desirable vegetation and tree roots,

surface in a disposal pit specifically marked and set up for this

is not available, bury the empty packaging 500 mm below the

management facility. If an approved waste management facility

puncture and deliver empty packaging to an approved waste

put may be taken separately. If not recycling, break, crush, or

management program site. The cap should not be replaced,

for recycling at any drumMUSTER collection or similar container

outside of the container and the cap. Store cleaned container in

a sheltered place with cap removed. It will then be acceptable

regulations. Do not burn empty containers or product.

b

J

CHILDREN NS BEFORE OPENING OR USING

OISON

available from Indigo Specialty Products Pty Ltd on request. safety data sheet for ProForce CLEAN SWEEP TRIO Fungicide is A.(SDS) teents stab ytets ent ni beteil ei noitsmrotni lanoitibbA SOS

If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to tresh air and keep at rest in a

IF exposed or concerned: Get medical advice.

position comfortable for breathing.

Obtain special instructions before use.

Suspected of causing genetic defects.