

# ECO CALEX®

# 1-0-0

- Eco Calex® 1-0-0 is a combination of calcium acetate and calcium nitrate
- A low salt index provides Eco Calex® 1-0-0 with a relatively low burn potential when applying to the foliage of plants
- The calcium in Eco Calex® 1-0-0 is in a soluble form which improves the availability to plants
- Eco Calex® 1-0-0 can be applied with a boom sprayer or through direct irrigation injection



**NET CONTENTS: 2 1/2 GALLONS (9.46 L)**

114532.5G GHS version 18156

## Eco Calex® 1-0-0

### GUARANTEED ANALYSIS:

|   |      |
|---|------|
| Total Nitrogen (N).....                           | 1.0% |
| 1.0% Nitrate Nitrogen                             |      |
| Calcium (Ca) .....                                | 8.0% |
| Derived from: Calcium nitrate and calcium acetate |      |

F1470



**KEEP OUT OF REACH OF CHILDREN  
DANGER**  
CAUSES SEVERE SKIN BURNS AND EYE DAMAGE

### PRECAUTIONARY STATEMENTS

Do not breathe mist / spray. Wash thoroughly after handling. Specific treatment see First Aid section on this label.

#### Personal Protective Equipment

Wear protective gloves / protective clothing / eye protection / face protection. Wash contaminated clothing before use.

#### FIRST AID

Immediately call a poison center / doctor.

**If Swallowed:** Rinse mouth. Do NOT induce vomiting.

**In On Skin (Or Hair):** Take off immediately all contaminated clothing. Rinse skin with water / shower.

**If Inhaled:** Remove person to fresh air and keep comfortable for breathing.

**If In Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### STORAGE AND DISPOSAL

**Storage:** Store locked up

**Disposal:** Dispose of contents / container in accordance with local / regional / national regulations

### DIRECTIONS FOR USE:

**Injection System:** Start up or initial application of 2-3 gallons (7.5-11L) per acre (0.5 hectares).

**Boom Spray Application:** Corrective rate (high sodium conditions) use 16 fl. oz. / 1,000 ft<sup>2</sup> (475 mL/93m<sup>2</sup>).

**Maintenance Rate:** Use 6 fl. oz. / 1,000 ft<sup>2</sup> (175 mL/93m<sup>2</sup>) per week until condition improves. Use best management and practices when applying. Use additional fertilizers as needed based on soil and tissue testing.

### COMPATIBILITY WITH OTHER MATERIALS:

Eco Calex® 1-0-0 is compatible with most liquid fertilizers, insecticides, fungicides, herbicides and nematocides. Check the compatibility of untried chemical mixes. Always perform a jar test when in doubt.

### VOLUMETRIC CONVERSION:

1 fluid oz. of Eco Calex 1-0-0 = 0.0008 lbs. N and 0.006 lbs. Ca

Weight per gallon..... 11.28 lbs/gal@68F (1.35 Kg/L)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info.jr.com>

NutriPack™ is a trademark and Eco Calex® and Simplot® are registered trademarks of the J.R. Simplot Company.

### IN CASE OF EMERGENCY CALL CHEMTREC 1-800-424-9300

### DISCLAIMER OF WARRANTIES

J.R. Simplot Company warrants that the composition of this product conforms to the description and is reasonably fit for the purpose as stated on the label only when used in accordance with label directions under normal conditions of use. This warranty is expressly in lieu of all other warranties and representations expressed, implied, or statutory, including warranties of merchantability and fitness for a particular use. Timing, rate and method of application, weather and crop conditions, and mixtures not specifically recommended on this label or an accompanying written recommendation, are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages resulting from, but not limited to, weather or soil conditions, presence of other materials, or failure to follow label directions will be assumed by the Buyer or User; and to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.