

Turf and lawns



No.1 sports perennial ryegrass at STRI

Outstanding shoot density

Beautiful leaf texture



Excellent disease resistance

Added value trait

Barorlando's speed in establishment and outstanding wear tolerance along with low endophyte makes it and exceptional choice for high wear bermudagrass or kikuyu based sportsfields looking for longer hours of use. Barorlando is a new nil endophyte Barenbrug perennial ryegrass for sportsfields. This medium fine-leaved perennial variety has excellent live ground cover and shoot recovery after artificial wear application.

Barorlando has been extensively tested in trials at STRI (Sport Turf Research Institute) in Bingley (UK). In 2013 it had the number 1 position for *Lolium perenne* sports trials in Victoria. This highlighted Barorlando's fast germination, aiding in providing oversowing coverage for quick return to sport. With fast germination and proven wear tolerance, Barorlando will guarantee a beautifully dense, wear tolerant turf.

Key features

- Superb wear tolerance (no. 1 STRI)
- Outstanding shoot density
- Medium dark-green colour with beautiful leaf texture

Application

Barorlando is a sports-type perennial suitable for:

- oversowing warm season bermudagrass/Kikuyu fields
- football/soccer and rugby pitches throughout Australia and NZ
- oversowing turf farm winter dormant warm species
- golf tees and fairways.

Key benefits

- Excellent disease resistance (fusarium, red thread, rust)
- Fast shoot recovery after damage



Management

Barorlando is well suited to all temperate and sub-tropical states of Australia. This variety performs best on well drained, fertile, soils and is suitable for over sowing bermudagrass/ Kikuyu providing good seed to soil contact. This strong performing ryegrass makes it suitable for long term turf surfaces and summer cricket events with irrigation.

Fertiliser / fungicides / insecticides

At sowing an application of a quality starter fertiliser is vital for strong plant and root development. A suitable analysis of 18:10:9 at a rate of 200–240 kg per ha. The application of fungicides and insecticides at planting has been proven to aid in establishment.

Establishment

Seed can be drilled or broadcast ideally at 5mm and no more than 1cm deep. Seed to soil contact is important esp when oversowing into bermudagrass/Kikuyu during active warm season growth. The use of a growth regulator is recommended in this situation. Ensure seed is supplied with adequate irrigation with frequency of cycles during the day dependent on temperature. The first watering it is recommended to give seed a good soak to penetrate the seed walls - seed must maintain close contact with wet soil for about 3–5 days to gain a good germination.

Suggested sowing rates

New field: 400–500kg/ha Oversowing bermudagrass: 250–500kg/ha

Live ground cover

Table S1 – Perennial Ryegrass

The live ground cover is regarded as more important than shoot density in winter sports turf. The ground cover of the sown species is recorded monthly during the application of artificial football wear to determine wear tolerance.

| Cultivar | Live ground cover (Post wear) | Visual merit | Mean | Shoot density | Fineness of leaf |
|-------------------|----------------------------------|--------------|------|---------------|------------------|
| Barorlando | 8.6 | 8.5 | 8.5 | 8.5 | 7.7 |
| Eurodiamond | 8.2 | 8.0 | 8.1 | 8.0 | 6.6 |
| Monroe (LA) | 8.0 | 8.2 | 8.1 | 8.2 | 8.6 |
| Barcristalla (LA) | 8.1 | 8.0 | 8.1 | 7.9 | 7.6 |
| Columbine | 8.1 | 8.0 | 8.1 | 7.6 | 6.8 |
| Madrid | 7.8 | 7.9 | 7.9 | 7.8 | 6.8 |
| Eugenius | 7.8 | 7.8 | 7.8 | 7.9 | 7.3 |
| Milan | 7.5 | 7.9 | 7.7 | 7.9 | 7.5 |
| Cyrena | 7.6 | 7.7 | 7.7 | 7.7 | 6.9 |
| Chardin | 7.5 | 7.7 | 7.6 | 7.7 | 8.2 |
| Poseidon | 7.8 | 7.5 | 7.6 | 7.5 | 6.5 |
| Shorty | 7.5 | 7.6 | 7.5 | 7.1 | 7.2 |
| Duparc (LA) | 7.4 | 7.7 | 7.5 | 7.2 | 7.3 |
| Promotor (LA) | 7.5 | 7.5 | 7.5 | 7.4 | 7.3 |
| Cadix | 7.1 | 7.6 | 7.4 | 7.1 | 7.3 |
| Vesuvius | 7.1 | 7.5 | 7.3 | 7.4 | 6.6 |
| Bizet 1 | 7.2 | 7.4 | 7.3 | 6.0 | 6.1 |
| Berlioz 1 | 7.3 | 7.4 | 7.3 | 7.3 | 6.4 |
| Bareuro | 7.3 | 7.3 | 7.3 | 6.9 | 6.7 |
| Carnac | 7.0 | 7.4 | 7.2 | 6.7 | 6.7 |
| Himalaya | 7.2 | 7.1 | 7.2 | 7.0 | 6.4 |
| Ligala | 6.9 | 7.4 | 7.1 | 7.0 | 7.6 |
| Melbourne | 7.0 | 7.2 | 7.1 | 7.6 | 7.4 |

STRI Table 1, Sports Series data 25mm 2013 (92 varieties entered into trial) (Note: high clipper rates = less wear)





Hong Kong | Singapore | Malaysia | Australia Email: info@centaur-asiapacific.com Website: www.centaur-asiapacific.com

Disclaimer: The information presented in this brochure is from official and other sources and is considered to be reliable. It is provided in good faith and every care has been taken to ensure its accuracy. Barenbrug does not accept any responsibility for the consequences that may arise from the acceptance of recommendations or the suggestions made.

